

# **EXPORT CATALOGUE**

## **EFFECTIVE FROM JANUARY 2024**

# **WHEEL ALIGNERS**


## **AND ORIGINAL ACCESSORIES**




**SICE**  
AUTOMOTIVE EQUIPMENT

**REL. MAY 2024**

## COLOR TABLE

Standard		RAL 1007	Yellow	A => /40
Optional		RAL 3002	Red	B => /16
Optional		RAL 5015	Blue	C => /25
Optional		RAL 9006	Light Grey	D => /36

Il telaio principale é sempre grigio scuro RAL 7016  => /34

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.


# SUMMARY

<b>PRE-CHECK DRIVE-THROUGH</b>	<b>4</b>
A 100 XPRESS	4
A 100 CHECK	5
TR 100 PROFILE READER FOR A 100 CHECK	6
OPTIONAL ACCESSORIES	8
TR100 STANDALONE	13
OPTIONAL ACCESSORIES FOR TR100 STANDALONE	14
<b>3D WHEEL ALIGNERS</b>	<b>16</b>
A 94	16
<b>CCD WHEEL ALIGNERS</b>	<b>17</b>
A 926E	17
A 926 MOBILE	18
A 926 SMART	19
OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART	20
A 948E	22
OPTIONAL ACCESSORIES	23
<b>CAMERA WHEEL ALIGNMENT TECHNOLOGY</b>	<b>43</b>
A 92E	43
A 92E PIT CHECK	44
COMPULSORY ACCESSORIES FOR A 92E PIT CHECK	45
A 92	46
OPTIONAL ACCESSORIES	48

## A 100 XPRESS

Dynamic pre-check during passing  
quick car vehicle check  
and light commercial vehicles

Analyze the forces exerted  
while driving and expects  
tire wear.



Codice	Descrizione	
0-35101101/40	<b>A100 Xpress Full Pack:</b> includes central unit with cabinet, PC, keyboard, mouse, processing system, measuring platforms for recessed installation and traffic light.	
0-35101201/40	<b>A100 Xpress KIT:</b> includes the processing system, measurement platforms for recessed installation and traffic light	
8-35400003	<b>Customization kit</b> to be ordered with A100 Xpress: includes software, user manuals, customization items (compulsory)	

# A 100 CHECK





The first clampless pre-check aligner





Code	Description	
0-35400101/40	<b>A100 Check F.A.S.T.</b> (including 2x measuring units for front axle only, 1x main control unit with PC, keyboard, rackball)	
0-35400201/40	<b>A100 Check FULL 3,5</b> (including 2x measuring units for front and rear axles, 1x main control unit with PC, keyboard, rackball)	
0-35400301/40	<b>A100 Check SUPER 3,5</b> (including 2x measuring units for front and rear axles, 1x main control unit with PC, keyboard, and rackball, 27" monitor, Bull Bar kit, printer unit, Smart Remote kit, RIK, Drive on Assistance, flat ramps 3,5)	





## TR 100 PROFILE READER FOR A 100 CHECK

Image	Description	Code	
	<p><b>TR100:</b> integrated version for A100 Check, designed for flush installation; the ramps for the on-floor installation are NOT included</p>	8-35400001	
	<p><b>Ramps for TR100:</b> ramps kit for on-floor installation</p>	8-35100021	

## COMPULSORY ACCESSORIES FOR A 100 CHECK







Image	Description	Code	
	27" LCD multimedia display with integrated webcam.	8-34100016	
	Flat ramps.	8-35100018	

## OPTIONAL ACCESSORIES








Image	Description	Code		A 100 Xpress	A 100 Check
	<b>LAUNCHER:</b> software management; 2x IPCam for Visual Checks included	8-35100026		-	O
	<b>LAUNCHER with AUTO QR:</b> software management + QR code; 2x IPCam for Visual Checks included	8-35100029		-	O
	<b>UPDATE TO AUTO QR:</b> For updating LAUNCHER PRECHECK cod. 8-35100026 to LAUNCHER AUTO QR cod. 8-35100029.	8-35100067		-	O
	<b>EXTERNAL USB-HARD DRIVE 1TB:</b> Accessory for A100 for locally store the LAUNCHER results.	8-35100068		-	O








## OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 100 Xpress	A 100 Check
Image	Description	Code			
	<b>Camera headlights tester</b> to check the vehicle front headlights, suitable for software management LAUNCHER and LAUNCHER with AUTO QR	8-35100030		-	O
	<b>QR-CODE SCANNER kit</b> QR code wireless scanner	8-35100065		-	O
	<b>USB colour inkjet printer.</b> Available only for shipment from Italy	8-21120005		-	O
	<b>TPM-02</b> portable device suitable for software management LAUNCHER and LAUNCHER with AUTO QR	6015001300		-	O
	<b>Subscription</b> 12 months TPM-02 standard	8-51100029		-	O
	<b>Subscription</b> 12 months TPM-02 extended	8-51120003		-	O






## OPTIONAL ACCESSORIES

Image	Description	Code		A 100 Xpress	A 100 Check
	<b>BULL BAR Kit:</b> bar of protection.	8-35100003		-	O
	<b>Kit 122:</b> software and hardware upgrade kit from one-axle to two-axle measurement (for F.A.S.T. version).	8-35100014		-	O
	<b>Smart Remote kit.</b> Including 1 dedicated APP, 1 tablet, 1 rubber protection cover, 1 special power connection.	8-35100016		-	O
	<b>RIK Rim Imaging Kit</b> (1 software update).	8-35100017		-	O
	<b>Fixing kit</b> for runways, standard floors (18 pcs)	8-35100009		-	O
	<b>Fixing kit</b> for runways, in case of compact concrete or underfloor heating (18 pcs)	8-35100010		-	O
	Wireless <b>remote control kit</b> (with 2.4 GHz industrial radio)	8-35100086		O	-


## OPTIONAL ACCESSORIES

Image	Description	Code		A 100 Xpress	A 100 Check
	<p><b>Professional calibration kit.</b> Including: offset bar, calibration target, calibration laser, magnetizing digital level, drawn alloy bars.</p>	8-35100005		-	O
	<p>Portable <b>induction heater</b></p>	8-35100059		-	O
	<p><b>Pre-check</b> databank updating kit - A 100 Xpress</p>	8-35100093		O	-
	<p><b>PRE-CHECK</b> data bank updating kit</p>	8-35100069		-	O
	<p><b>PRE-CHECK</b> Usa data bank enabling kit</p>	8-35100071		-	O
	<p><b>27"</b> LCD basic monitor</p>	8-34120000		O	-

## OPTIONAL ACCESSORIES




Image	Description	Code		A 100 Xpress	A 100 Check
	<p><b>LCD</b> Monitor support</p>	8-61200143		O	-
	<p><b>USB</b> Inkjet coloured printer</p>	8-61200237		O	O
	<p><b>NEXREMOTE</b> The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.</p>	8-31100001		O	O
	<p><b>Ramp kit</b> for floor installation</p>	8-35100084		O	-
	<p><b>Booking service</b> enabling kit</p>	8-35100088		O	-

# TR100 STANDALONE





Code	Description	
0-35100601/39	<b>TR100 STANDALONE FULL PACK</b> , Stand-alone profilometer with integrated laser - flush installation - Profilometer, cabinet, PC, mouse trackball, printer unit, electrical system interface included	
0-35100701	<b>TR100 STANDALONE KIT</b> , Stand-alone profilometer with integrated laser - flush installation - Profilometer, electrical system interface included	
8-35400002	<b>Compulsory customization kit</b> for TR100 Standalone	

## OPTIONAL ACCESSORIES FOR TR100 STANDALONE


Image	Description	Code	
IMAGE NON AVAILABLE	<b>Management Software Package</b> for TR100 Standalone	8-35100061	
	<b>Ramps for TR100:</b> ramps kit for on-floor installation	8-35100021	
	27" basic monitor	8-34120000	
	<b>LCD</b> monitor holder	8-61200143	

## **OPTIONAL ACCESSORIES FOR TR100 STANDALONE**

<i>Image</i>	<i>Description</i>	<i>Code</i>	
	<b>USB</b> inkjet printer (only for PROFILSCAN STANDALONE KIT version)	8-61200237	
	<b>Mouse kit</b> (only for PROFILSCAN STANDALONE KIT version)	8-33100078	

## A 94

### Standard accessories



Model complete with:

- Column
- PC
- Keyboard
- Mouse
- 4 targets with anti-reflection filter
- Steering lock
- Brake depressor




Wheel alignment and precheck  
for cars and light transport  
with 4 cameras

Code	Electric Supply	Description	
0-34103001/49	100-240Vac/1Ph/50-60Hz	<b>A94 FULL PACK:</b> Four Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps and turntables not included. <b>NEW "ROC SMART" FUNCTION INCLUDED.</b>	
8-34900091/40		<b>Customization kit</b> to be ordered with A94: alignment software, user manuals, customization items (compulsory)	



## A 926E

### STANDARD ACCESSORIES



- Monitor and printer unit not included



Code	Electric Supply	Description	
0-33416201/40		A926E	

## A 926 MOBILE

### STANDARD ACCESSORIES



Carrying case included

Code	Electric Supply	Description	
0-39400101		A 926 MOBILE	

## A 926 SMART






### ACCESSORI STANDARD




Clamps NOT included

Code	Electric Supply	Description	
0-3311140101/39	100-240Vac/1Ph/50-60Hz	<b>A926E SMART</b> Wheel aligner including 4 wireless sensors and "docking station" (equipped with charging stands, battery charger and brackets holder), steering wheel lock and depressor. Floor or wall fixing.	
8-33100182		<b>Compulsory customized kit</b> for A926E SMART including alignment software, user manuals, customizing items	

## OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART



Image	Description	Code		A926 MOBILE	A926 SMART
 <p>x4      x4</p>	<p><b>4x 4-points</b> 11"-21" wheel clamps for cars, with 26" extenders included</p>	<p>8-34100022</p>		-	O
 <p>x4</p>	<p><b>4x 4-points</b> 11"-21" wheel clamps for cars</p>	<p>8-34100020</p>		-	O
 <p>x4</p>	<p><b>Kit of extenders</b> to 26" for clamps code 8-34100020</p>	<p>8-34100021</p>		-	O
	<p><b>LAPTOP PC</b> with Windows 10</p>	<p>8-33100161</p>		O	O
	<p><b>Rugged laptop PC</b> with Windows 10</p>	<p>8-33100170</p>		O	O

## OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART

Image	Description	Code		A926 MOBILE	A926 SMART
	<p><b>Cabinet</b> for printer unit</p>	<p>8-34900036/40</p>		<p>O</p>	<p>O</p>

## A 948E

### ACCESSORI STANDARD







- Monitor and printer unit not included -









Code	Electric Supply	Description	
0-33416301/40		A948E	

## OPTIONAL ACCESSORIES








Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>MONITORS AND PRINTER</b>							
	27" Widescreen basic monitor.	8-34120000		O	-	-	O
	32" LCD Monitor	8-31600016		O	-	-	-
	USB inkjet colour printer.	8-61200237		O	O	O	O
	Mouse kit.	8-33100078		O	O	O	O

## OPTIONAL ACCESSORIES








Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>CLAMPS</b>							
	<p><b>ClampOnTyre:</b> Quick, self-centring, ergonomic. Fixing to the wheel, without contact with the rim. The supplied jaws allow gripping on wheel diameters from 19" to 32". Wheel arch protection included.</p> <p>The code includes one clamp.</p> <p>REMARK: To use the ClampOnTyre with A 92E aligner it is mandatory to order kit 8-34100048</p>	8-33100189		O	-	-	-
	<p><b>Set of extensions for vans:</b> set for use with vans.</p> <p>Kit for one clamp.</p>	8-33100191		O	-	-	-
	<p><b>Set of XL extensions:</b> for wheel diameter from 32" to 39".</p> <p>Kit for one clamp.</p>	8-33100190		O	-	-	-
	<p>Fall protection steel cable kit for 4 clamps: includes 4 steel cables and mounting components. Compatible with ClampOnTyre.</p>	8-33100196		O	-	-	-
	<p>Wheel Rim Guard Kit: Plastic protection for very protruding rims.</p> <p>Compatible with ClampOnTyre.</p>	8-33100197		O	-	-	-
	<p><b>Clamp holder</b> multi-purpose trolley and additional jaws.</p>	8-33100193		O	-	-	-







## OPTIONAL ACCESSORIES

Image	Description	Code	Price €	A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<b>Clamp holder set</b> for wall mounting with support for additional jaws.	8-33100192		O	-	-	-
	<b>Aligner Trolley II:</b> to use the wheel aligner in different working bays or in drive-thru mode	8-34900072/90		O	-	-	-
	<b>Drive-On assistant:</b> driving assistance camera for easy and correct positioning of the vehicle on the lift or in the workshop without the help of an assistant or mirrors.	8-34100032		O	-	-	-
	<b>CM</b> lift autotracking enabling kit	8-34900071		O	-	-	-
	<b>Shelf for printer</b> Alternative mounting to the support for second LCD monitor. Mandatory if the printer is ordered.	8-34900095/90		O	-	-	-
	Secondary LCD <b>display support</b>	8-34900093		O	-	-	-
	<b>Calibrator 2.0</b> complete for calibration and maintenance	8-34900011		O	-	-	-





## OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
<b>CLAMPS</b>							
	<b>Quick wheel clamp</b> 13" to 28" (for new rims or rims in good conditions); compensation kit; spacers for rounded rims included; spirit level included	8-33100146		-	O	O	-
	<b>Carbon wheel bracket</b> 10" to 26" for cars.	8-33100159		O	O	O	O
	<b>Extra-light 4-points clamp</b> 10" to 26" with carbon inserts and resin coated/double-profile claws	8-33100166		O	O	O	O
	<b>Wheel hook kit</b> for 4-points clamps (kit for 4 clamps)	8-33100184		O	O	O	O
	<b>Kit of 4</b> plastic pins type 1	8-33100185		O	O	O	O
	<b>Kit of 4</b> plastic pins type 2	8-33100186		O	O	O	O
	<b>Kit of 4</b> plastic pins type 3	8-33100187		O	O	O	O







## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>CLAMPS</b>							
	<b>Wheel bracket</b> 10" to 21" for cars with sliding pin	8-33100162		O	O	O	O
	<b>Wheel bracket</b> 10" to 21" for cars with sliding pin and resin coated/ double-profile claws	8-33100176		O	O	O	O
	<b>Wheel bracket</b> 10" to 21" for car.	8-33100130		O	O	O	O
	<b>Wheel bracket</b> 10" to 21" for cars resin coated/double-profile claws	8-33100177		O	O	O	O








## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<b>Clamp</b> for BMW and MERCEDES cars.	8-33100041		O	O	O	O
	<b>Quick clamp</b> 9" to 21" for cars.	8-33100025		O	O	O	O
	<b>Set</b> of four 3-point automatic quick clamps from 10" to 21" for ALU rims and well centered rims, "Run Out" compensation is not required	803269218		O	O	O	O
	Wheel bracket 17,5" to 25" for trucks.	803250354		-	-	O	-








## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>ACCESSORIES FOR CLAMPS</b>							
	<b>Set of 4</b> elastic cords suitable for all bracket types	8-34900045		O	O	O	O
	<b>SPIDER CLAMP:</b> 4 pins kit for 1 bracket, suitable only on 10-26" brackets for A98; compulsory ROC procedure	8-33100157		-	-	-	O
	<b>Adapter</b> for low body cars. L=55 mm.	803232814		-	O	O	-
	<b>Adapter</b> for low body cars. L=90 mm.	803252515		-	O	O	-
	<b>Pair of adapters</b> L=55 mm, BMW design.	8-33100031		-	O	O	-
	<b>Adapter</b> for trucks and buses, L=240 mm.	803232815		-	O	O	-





## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<b>4" extensions kit + truck adapter</b> for one 10-26" bracket.	8-33100100		-	O	O	-
	<b>Set of 4</b> double profile pins for wheel brackets.	8-33100039		O	O	O	O
	<b>Kit of 4</b> resin coated/double-profile claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120002		O	O	O	O
	<b>Set of 12</b> claws for Iveco Daily steel rims, suitable for code 803268218 and code 8-33100025	803289414		O	O	O	O
	<b>Set of 12</b> extensions to 23" for 3-point quick clamps, suitable for code 803268218 and code 8-33100025	8-33200003		O	O	O	O
	<b>Set of 12</b> short claws, suitable for code 803268218 and code 8-33100025	803284944		O	O	O	O
	<b>Kit of 4</b> resin coated/double-profile SCC claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120003		O	O	O	O

## OPTIONAL ACCESSORIES






Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
 x4	<b>SCC</b> double pins (4 pcs.).	8-33120000		O	O	O	O
	<b>Set</b> of four Racing pin for truck wheel bracket.	803258555		-	O	O	-
	<b>Adapter pin</b> for MERCEDES original clamps & VAS 6041-6190-6430.	803359301		O	O	O	O
	<b>Set of three</b> 28" extensions for rapid clamps.	8-33100026		O	O	O	O
	<b>Set of 12</b> long pins (57 mm) for rapid clamps, suitable for code 803268218 and code 8-33100025	803284945		O	O	O	O
	<b>Set of 12</b> shaped claws, suitable for code 803268218 and code 8-33100025	803284946		O	O	O	O
	<b>Set of 12</b> claws for outstanding profile rims, suitable for code 803268218 and code 8-33100025	8-33200004		O	O	O	O

## OPTIONAL ACCESSORIES






Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p><b>Set of 12</b> pin extensions of 58 mm for rapid clamps suitable for code 803268218 and code 8-33100025</p>	803284947		O	O	O	O
	<p><b>Complete set</b> of Mercedes and BMW adapters (25 pcs), suitable for code 803268218 and code 8-33100025</p>	803284942		O	O	O	O
	<p><b>Complete set</b> of Porsche adapters (4+4 pcs.), suitable for code 803268218 and code 8-33100025</p>	803284943		O	O	O	O
	<p><b>Set of 4</b> safety connecting cords for sensors.</p>	803261239		O	O	O	-









## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<b>Set of 4</b> holders for car wheel brackets.	8-33100113		O	O	O	O
	<b>Set of 4</b> wheel clamp universal supports for cabinet or wall.	8-33100048		O	O	O	O
<b>Car Turntables H=50mm</b>							
	<b>Pair of car</b> professional electronic turntables. Dimensions 450x450x50 mm Ø 345 mm Range ± 40 mm /Low friction < 5 Nm Load 1000 kg.	803261967		-	O	O	O
	<b>ROC</b> push-mode kit - professional turntable to be combined with 803261967.	8-33100017		-	O	O	O
	<b>Pair of ramp kit</b> for professional electronics turntables.	8-33100030		-	O	O	O





## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p><b>Pair of car</b> electronic turntables with ROC push-mode kit.            Dimensions 400x450x50 mm Ø 320 mm            Range ± 40 mm .            Load 1.000 kg.</p>	8-33100101		-	O	O	O
	<p><b>Pair of car</b> mechanical turntables with ROC push-mode kit.            Dimensions 400x450x50 mm - Ø 320 mm            Range ± 40 mm            Load 1.000 kg</p>	8-33100102		O	O	O	O
	<p><b>Pair of wheel stops</b> for platforms code 8-33100101 and 8-33100102.</p>	8-33100103		O	O	O	O
	<p><b>Pair of mechanical turntables.</b>            Dimensions 375x305x50 mm - Ø 310 mm            Range ± 35 mm            Load 1000 kg</p>	803268866		O	O	O	O
	<p><b>Pair of pads</b> for mechanical turntable 803268866.</p>	8-33100111		O	O	O	O






## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>CAR TURNTABLES WITH DIFFERENT HEIGHTS AND SLIP PLATE</b>							
	<p><b>Pair of car electronic turntables</b>            Dimensions 400x450x53 mm - Ø 320 mm            Range ± 40 mm            Load 1000 kg</p>	803252094		-	O	O	O
	<p><b>High mechanical turntable for cars</b> (wheel stop included)            Dimensions 400x450x53 mm Ø 320 mm            Range ± 40 mm            Load 1000 kg</p>	804241069		O	O	O	O
	<p><b>ROC push-mode kit</b> iron turntable to be combined with 804241069, 803252094, 803227745, 8-33100101, 8-33100102.            MANDATORY FOR PRODUCTS USING THE “”ROC SMART”” FUNCTION.</p>	803259570		O	O	O	O
	<p><b>High profile turntable</b>            Dimensions 400x450x36 mm - Ø 320 mm            Range ± 40 mm            Load 1000 kg</p>	803227745		O	O	O	O
	<p><b>Short slip plate</b>            Dimensions 835x370x37 mm            Load 1000 kg to be combined with 803227745</p>	803227757		O	O	O	O
	<p><b>Low profile turntable</b>            Dimensions 400x450x26 mm - Ø 320 mm            Range ± 40 mm            Load 1000 kg</p>	803229274		O	O	O	O






## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p><b>Long slip plate</b>            Dimensions 1732x535x25 mm            Load 1000 kg</p>	803231255		O	O	O	O
<b>TRUCK TURNTABLES</b>							
	<p><b>Truck turntable</b>            Dimensions 450x450x24 mm - Ø 365 mm            Range ± 45 mm            Load 3000 kg</p>	803230950		-	-	O	-
	<p><b>Pair of truck mechanical turntables</b> with graduated scale            Dimensions 370x458x66 mm - Ø 370 mm            Corsa ± 50 mm            Load 5000 kg</p>	8-33100099		-	-	O	-
	<p><b>A98 calibration unit:</b> single bar and target.</p>	8-34100010		-	-	-	O







## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>CALIBRATION DEVICES</b>							
	<b>Reference frame for A98</b> ; add one 8-34100009 to obtain one complete calibration kit.	8-34100005		-	-	-	O
	<b>Transformation kit</b> to convert one bar of the frame 8-34100005 into calibration unit 8-34100010, or to use the frame 8-34100005 as calibration kit.	8-34100009		-	-	-	O
	<b>Certified professional calibration unit</b> . Do not include accessories for the full scale calibration of the inclinometers and string aligners.	803259519		-	O	O	-
	<b>Certified end of scale calibration kit</b> (to be used with 803259519).	803259520		-	O	O	-
	<b>Full scale calibration kit</b> for string aligners (to be used with 803259519)	8-33100199		-	-	-	-






## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>MISCELLANEOUS AND TOOLS</b>							
	<p><b>DRIVE-ON ASSISTANT KIT</b></p>	8-34200005		-	-	-	0
	<p><b>NEXREMOTE</b> The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.</p>	8-31100001		0	0	0	0
	<p><b>Update Card</b> for Cal One Touch</p>	8-33400053		-	0	0	0
	<p><b>Wi-Fi connection kit</b> for INDUSTRY 4.0</p>	8-33100174		0	0	0	0
	<p><b>Wireless remote control kit</b> (with 2.4 GHz industrial radio)</p>	8-35100060		0	0	0	0

## OPTIONAL ACCESSORIES


OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
<b>MISCELLANEOUS AND TOOLS</b>							
	<b>Special equipment</b> for VAS alignment.	803254284		O	O	O	O
	<b>Kit of accessories</b> for trailer alignment.	803254570		-	-	O	-
	<b>16 mts cable connection</b> from main unit for A 948, specially for trucks.	8-33200012		-	-	O	-
	<b>Set of emergency cables</b> only for A 926 (2 cables 7 mt + 2 cables 10 mt)	8-33100110		-	O	-	-
	<b>Set of emergency cables</b> only for A 948 (2 cables 4,5 mt + 2 cables 6 mt)	8-33100143		-	-	O	-
	<b>ELECTRONIC TURNTABLES CONNECTION KIT</b> includes 2x 16 mt connection cables for electronic turntables.	8-35100076		-	-	-	O

## OPTIONAL ACCESSORIES



Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>MISCELLANEOUS AND TOOLS</b>							
	<b>Brake-pedal depressor.</b>	8-33100081		O	O	O	O
	Steering <b>wheel holder.</b>	8-33100082		O	O	O	O
	<b>Pressure toe bar</b> for Mercedes alignment.	8-33100049		O	O	O	O
	<b>Tool kit.</b>	8-21100197		O	O	O	O
	<b>External battery recharge</b> feeder.	8-33100088		-	O	O	-



## OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
<b>MISCELLANEOUS AND TOOLS</b>							
	Portable <i>induction heater</i>	8-35100059		O	O	O	O

## OPTIONAL ACCESSORIES


OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
<b>DATA BANK UPDATING KITS</b>							
	<b>Upgrade kit</b> for vehicle adjustment by schematic slides	8-34900097		O	-	-	-
	<b>Upgrade kit</b> for vehicle adjustment by schematic animations	8-34900098		O	-	-	-
	<b>DB USA</b> databank enabling kit (to be renewed every year)	8-33100125		-	O	O	O
	<b>SCD98</b> Smart card and CD-rom for data bank update.	8-34120001		-	-	-	O
	<b>SCD46</b> Smart card and CD-rom for data bank update A936 - A946.	8-33400025C		-	-	-	-
	<b>SCD26</b> Smart card and CD-rom for data bank update.	8-33100141		-	O	O	-
	<b>SCR</b> Smart-card for ASA NETWORK A936-A946.	8-33400026		-	-	-	-
	<b>SCR</b> Smart-card procedure for VW/AUDI A936-A946.	8-33400033		-	-	-	-
	<b>SCR</b> Smart-card procedure for trucks A936-A946.	8-33400034		-	-	-	-
<b>SCR</b> Smart-card procedure for MB A936-A946.	8-33400035		-	-	-	-	
IMAGINE NON AVAILABLE	<b>AVP</b> upgrade kit (Audi, VW procedure) for A948-A98	8-33200020		-	-	O	O
IMAGINE NON AVAILABLE	<b>TTP</b> upgrade kit (trucks and trailers procedure) only for A948	8-33200022		-	-	O	-
IMAGINE NON AVAILABLE	<b>MBP</b> upgrade kit (MB procedure) for A948-A98	8-33200024		-	-	O	O
IMAGINE NON AVAILABLE	<b>AAP</b> upgrade kit (Animated adjustment procedure)	8-33300045		-	O	O	O
	<b>Data base</b> upgrade - A 94	8-34100050		O	-	-	-
	<b>USA</b> Data bank updating anable kit	8-34900031		O	-	-	-

# CAMERA WHEEL ALIGNMENT TECHNOLOGY

## A 92E

two camera professional wheel aligner for cars and vans

### STANDARD ACCESSORIES



Code	Electric Supply	Description	
0-34102201/36	115-230V/1PH/50-60Hz	<p><b>A 92E FULL PACK</b></p> <p>Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution small targets, steering wheel lock, brake depressor. LCD Display, printer unit, wheel clamps and turntables not included.</p>	
0-34102301/36	115-230V/1PH/50-60Hz	<p><b>A 92E NO-PC</b></p> <p>Features: Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, 4 hi-resolution small targets, steering wheel lock, brake depressor. LCD Display, wheel clamps, PC, printer, keyboard, mouse and turntables not included.</p>	
8-34900068/40		<p><b>Customization kit:</b> alignment software, user manuals, customization items (Compulsory)</p>	

## A 92E PIT CHECK



two camera professional wheel aligner for cars and vans  
DRIVE THRU

### STANDARD ACCESSORIES



Code	Electric Supply	Description	
0-34102401/40	115-230V/1PH/50-60Hz	<b>A 92E PIT CHECK FULL PACK:</b> Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps, turntables and side posts not included.	
0-34102501/40	115-230V/1PH/50-60Hz	<b>A 92E PIT CHECK NO-PC:</b> Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. PC, keyboard, mouse, LCD display, printer, wheel clamps, turntables and side posts not included.	
8-34900085		<b>Customization kit</b> to be ordered with A 92E PIT CHECK: alignment software, user manuals, customization items (compulsory)	

## COMPULSORY ACCESSORIES FOR A 92E PIT CHECK

Image	Description	Code	
	<p><b>KIT LOW COLUMNS</b> (1.000mm): for installation in pit or for precheck in acceptance.</p> <p><b>COMPULSORY</b> (as an alternative to P/N 8-34900081)</p>	8-34900080	
	<p><b>KIT HIGH COLUMNS</b> (2600 mm): for installation with hoist. Measurement and adjustment operations at fixed height.</p> <p><b>COMPULSORY</b> (as an alternative to P/N 8-34900080)</p>	8-34900081	

## A 92

**DELIVERY AVAILABLE FROM CHINA ONLY**









### STANDARD ACCESSORIES








<b>Code</b>	<b>Description</b>	
0-34901108/40	<b>A 92 Full Pack:</b> measuring beam, column, PC, keyboard, mouse, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26", brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	
0-34901104/40	<b>A 92 No PC:</b> measuring beam, column, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	
0-34901106/40	<b>A 92 Kit:</b> measuring beam, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26".brake pedal depressor, steering lock. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	
0-34901107/40	<b>A 92 W NO PC Wall:</b> measuring beam, beam wall bracket, wall mount console, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock, pair of turntables. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	
0-34901114	<b>A 92 W Kit:</b> measuring beam, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	
0-34901115/40	<b>A 92 W Full Pack:</b> measuring beam, PC, keyboard, mouse, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26", brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. <b>DELIVERY AVAILABLE FROM CHINA ONLY</b>	

## OPTIONAL ACCESSORIES






Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<b>CM</b> lift autotracking enabling kit for the CM camera mover with wormgear (Delivery available both from Italy and China)	8-34900071		O	O	-	-	-	-	-
	<b>CM</b> Camera Mover with wormgear 115-230V/1PH/50-60Hz (Delivery available both from Italy and China)  <b>CM</b> - Camera Mover with wormgear 115-230V/1PH/50-60Hz DELIVERY AVAILABLE FROM CHINA ONLY	8-34900064		O	O	-	-	-	-	-
	<b>4x 4</b> points 11"-21" wheel clamps for cars, with 26" extenders included (Delivery available both from Italy and China)	8-34100022		O	O	-	-	-	-	O
	<b>4x 4</b> points 11"-21" wheel clamps for cars (Delivery available both from Italy and China)	8-34100020		O	O	-	-	-	-	O
	<b>Kit</b> of extenders to 26" for clamps code 8-34100020 (Delivery available both from Italy and China)	8-34100021		O	O	-	-	-	-	O
	<b>Pair of car</b> mechanical turntables with ROC push-mode kit (Without wheel stop). Dimensions: 485x435x48,5 mm. Load: 1000 kg. (Delivery available both from Italy and China)	8-34900019		O	O	O	O	O	O	O








## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
 <p>x2</p>	<p><b>ROC</b> push-mode kit - for turntables 8-34900019 (Delivery available both from Italy and China)</p>	8-34100052		O	O	O	O	O	O	O
	<p><b>4-point</b> clamp support brackets for wall installation (4 pcs).</p>	8-31600017		O	O	O	O	O	O	O
	<p><b>Cabinet for printer unit</b> (Delivery available both from Italy and China)</p>	8-34900036/40		O	O	O	O	O	O	O
	<p><b>Drive-On Assistant</b>, with camera system for easy vehicle positioning in the working bay. (Delivery available both from Italy and China)</p>	8-34900021		O	O	O	O	O	O	-
	<p><b>Calibrator 2.0</b> complete for calibration and maintenance, only suitable for "A" versions (Delivery available both from Italy and China)</p>	8-34900011		O	O	O	O	O	O	O





## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<b>Single target "B" for calibration</b> , only suitable for "B" version.	8-34900028		-	-	-	-	-	-	-
	<b>Standard rim kit</b> for one clamp (4 pins) (Delivery available both from Italy and China)	8-34900041		O	O	O	O	O	O	O
	<b>Aligner Trolley II</b> : to use the wheel aligner in different working bays or in drive-thru mode (Delivery available both from Italy and China)	8-34900072/90		O	O	O	O	-	-	-
	<b>Trolley 2.0</b> : trolley for wheel clamps and targets	8-34900074/40		O	O	-	-	-	-	O
	<b>Smart trolley</b> for clamp & target holders (1 unit).	8-34900018/00		-	-	O	O	O	O	-







## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p><b>ClampOnTyre:</b> Quick, self-centring, ergonomic. Fixing to the wheel, without contact with the rim. The supplied jaws allow gripping on wheel diameters from 19" to 32". Wheel arch protection included. The code includes one clamp. REMARK: To use the ClampOnTyre with A 92E aligner it is mandatory to order kit 8-34100048</p>	8-33100189		O	O	O	-	-	-	O
<p><b>SMART ROC</b></p>	<p><b>SMART-ROC feature enable</b> MANDATORY FOR THE USE OF CLAMPONTYRE QUICK CLAMPS</p>	8-34100048		O	O	-	-	-	-	O
	<p><b>Set of extensions for vans:</b> set for use with vans. Kit for one clamp.</p>	8-33100191		O	O	-	-	-	-	O
	<p><b>Set of XL extensions:</b> for wheel diameter from 32" to 39". Kit for one clamp.</p>	8-33100190		O	O	-	-	-	-	O
	<p>Fall protection steel cable kit for 4 clamps: includes 4 steel cables and mounting components. Compatible with ClampOnTyre.</p>	8-33100196		O	O	-	-	-	-	O
	<p>Wheel Rim Guard Kit: Plastic protection for very protruding rims. Compatible with ClampOnTyre.</p>	8-33100197		O	O	-	-	-	-	O








## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p><b>Clamp holder</b> multi-purpose trolley and additional jaws.</p>	8-33100193		O	O	-	-	-	-	O
	<p><b>Clamp holder set</b> for wall mounting with support for additional jaws.</p>	8-33100192		O	O	-	-	-	-	O
 <p>x4</p>	<p><b>Set of 4</b> spacers for installation of kit 8-33100192 where ClampOnTyres are fitted with VAN extensions 8-33100191</p>	8-33100195		O	O	-	-	-	-	-
	<p><b>Quick clamp</b> 9” to 21” for cars.</p>	8-33100025		O	O	-	-	-	-	O







## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<b>Set</b> of four 3-point automatic quick clamps from 10” to 21” for ALU rims and well centered rims, “Run Out” compensation is not required	803269218		O	O	-	-	-	-	O
	<b>Carbon wheel bracket</b> 10” to 26” for cars.	8-33100159		O	O	-	-	-	-	O
	<b>Wheel hook kit</b> for 4-points clamps (kit for 4 clamps)	8-33100184		O	O	-	-	-	-	O
	<b>Kit of 4</b> plastic pins type 1	8-33100185		O	O	-	-	-	-	O
	<b>Kit of 4</b> plastic pins type 2	8-33100186		O	O	-	-	-	-	O
	<b>Kit of 4</b> plastic pins type 3	8-33100187		O	O	-	-	-	-	O







## OPTIONAL ACCESSORIES

Image	Description	Code								
			A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK	
	<b>Set of 4</b> double profile pins for wheel brackets.	8-33100039	O	O	-	-	-	-	O	
	<b>4" extensions kit + truck adapter</b> for one 10-26" bracket.	8-33100100	O	O	-	-	-	-	O	
	<b>Wheel bracket</b> 10" to 21" for car.	8-33100130	O	O	-	-	-	-	O	
	<b>Clamp for BMW</b> and MERCEDES cars.	8-33100041	O	O	-	-	-	-	O	
	<b>Set of 4 double profile pins</b> for wheel brackets.	8-33100039	O	O	-	-	-	-	O	
 x4	<b>SCC</b> double pins (4 pcs.).	8-33120000	O	O	-	-	-	-	O	
	<b>Kit of 4 resin</b> coated/double-profile claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120002	O	O	-	-	-	-	O	

## OPTIONAL ACCESSORIES







Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p><b>Kit of 4</b> resin coated/double-profile SCC claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.</p>	8-33120003		O	O	-	-	-	-	O
	<p><b>Kit of double profile</b> resin coated claws for wheel clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x resin coated claws.</p>	8-33120001		O	O	O	O	O	O	O
	<p><b>Set of three</b> 28" extensions for rapid clamps.</p>	8-33100026		O	O	-	-	-	-	O
	<p><b>Set of 12</b> long pins (57 mm) for rapid clamps.</p>	803284945		O	O	-	-	-	-	O
	<p><b>Set of 12</b> pin extensions of 58 mm for rapid clamps.</p>	803284947		O	O	-	-	-	-	O
	<p><b>Set of 4</b> safety connecting cords for sensors.</p>	803261239		O	O	-	-	-	-	O

## OPTIONAL ACCESSORIES





Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p><b>Pair of car</b> mechanical turntables whit ROC push-mode kit. Dimensions 400x450x50 mm - Ø 320 mm Range ± 40 mm   Load 1.000 kg</p>	8-33100102		O	O	-	-	-	-	O
	<p><b>Pair of wheel stops</b> for platforms code 8-33100101 and 8-33100102.</p>	8-33100103		O	O	-	-	-	-	O
	<p><b>Pair of mechanical turntables.</b> Dimensions 375x305x50 mm - Ø 310 mm Range ± 35 mm Load 1000 kg</p>	803268866		O	O	-	-	-	-	O
	<p><b>Pair of pads</b> for mechanical turntable 803268866.</p>	8-33100111		O	O	-	-	-	-	O
	<p><b>High mechanical turntable for cars</b> (wheel stop included) Dimensions 400x450x53 mm Ø 320 mm Range ± 40 mm - Load 1000 kg</p>	804241069		O	O	-	-	-	-	O
	<p><b>ROC push-mode kit</b> - iron turntable to be combined with 804241069, 803252094, 803227745, 8-33100101, 8-33100102. MANDATORY FOR PRODUCTS USING THE "ROC SMART" FUNCTION.</p>	803259570		O	O	-	-	-	-	O








## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<b>High profile turntable</b> Dimensions 400x450x36 mm - Ø 320 mm Range ± 40 mm Load 1000 kg	803227745		O	O	-	-	-	-	O
	<b>Short slip plate</b> Dimensions 835x370x37 mm Load 1000 kg to be combined with 803227745	803227757		O	O	-	-	-	-	O
	<b>Low profile turntable</b> Dimensions 400x450x26 mm - Ø 320 mm Range ± 40 mm Load 1000 kg	803229274		O	O	-	-	-	-	O
	<b>Long slip plate</b> Dimensions 1732x535x25 mm Load 1000 kg	803231255		O	O	-	-	-	-	O
	<b>Pressure toe bar</b> for Mercedes alignment.	8-33100049		O	O	-	-	-	-	O
	<b>Special equipment</b> for VAS alignment.	803254284		O	O	-	-	-	-	-


## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	32" LCD monitor	8-31600016		O	O	-	-	-	-	-
	27" Basic Widescreen monitor.	8-34120000		O	O	O	O	O	O	O
	22" LCD/LED 22" Widescreen monitor.	8-21100234		O	O	O	O	O	O	O
	<b>NEXREMOTE</b> The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.	8-31100001		O	O	O	O	O	O	O

## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<b>Wireless remote control kit</b> (with 2.4 GHz industrial radio)	8-35100060		O	O	O	O	O	O	O
	<b>USB inkjet colour printer.</b> Available only for shipment from Italy	8-21120005		O	O	O	O	O	O	O
	<b>USB inkjet colour printer.</b> Not available for shipment from Italy	8-34900079		O	O	O	O	O	O	O
	USB <b>inkjet printer</b>	8-61200237		O	-	O	-	O	O	O
	<b>Update card</b> for Cal One Touch	8-33400053		O	O	O	O	O	O	O

## OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Portable <i>induction heater</i>	8-35100059		O	O	O	O	O	O	O
IMAGE NOT AVAILABLE	<b>Data Bank</b> updating kit.	8-34900032		O	O	O	O	O	O	O
IMAGE NOT AVAILABLE	<b>AVP Kit</b> ( Audi, VW procedure)	8-34100027		O	O	O	O	O	O	O
IMAGE NOT AVAILABLE	<b>USA Data Bank</b> updating enable kit (to renew yearly)	8-34900029		O	O	O	O	O	O	O
IMAGE NOT AVAILABLE	<b>Animations</b> full update kit	8-34900053		O	O	O	O	O	O	O



