

EXPORT CATALOGUE



MISCELLANEOUS and Original Accessories

effective from march 2026 / rel. july 2026

GENERAL TERMS AND CONDITION

COLOR TABLE

Standard		RAL 1007	Yellow	A => /40
Optional		RAL 3002	Red	B => /16
Optional		RAL 5015	Blue	C => /25
Optional		RAL 9006	Light gray	D => /36
Main frame is always dark grey RAL 7016				=> /34

LEGEND

● : STANDARD ○ : COMPATIBLE - : NON COMPATIBLE

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

SUMMARY

AUXILIARY WHEEL LIFTERS	4
PARTNER 70	4
RIM REPAIR SYSTEM	5
RR04	5
RR06	5
OPTIONAL ACCESSORIES	6
NITROGEN GENERATOR	7
N SERIES	7
N 300	7
N 500	7
N 1800	7
OPTIONAL ACCESSORIES FOR SERIE N	8
WHEEL WASHER	10
LS 850	10
OPTIONAL ACCESSORIES FOR LS 850	11
VULCANIZERS	13
SVP1	13
SVP2	13
SVP3	13
SVP4	14
SVP5	14
SVP5/L	14
OPTIONAL ACCESSORIES FOR VULCANIZERS	15
TYRE TEST TANKS	16
AL18	16
AL24	16
AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION	17
A/C 1100 SERIES	17
A/C 1105 SERIES	18
A/C 1600 SERIES	19
A/C 1605 SERIES	20
OPTIONAL ACCESSORIES FOR AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION	21 21

AUXILIARY WHEEL LIFTERS

PARTNER 70

Battery-Operated Wheel Lifter - it helps to easily and safely de-mount, move and mount the wheels of cars, SUVs and LT vehicles weighting up to 70kg



CODE	ELECTRIC SUPPLY	DESCRIPTION	
8-21120020/64		PARTNER 70	

RIM REPAIR SYSTEM


RR04

STANDARD ACCESSORIES



RR06

STANDARD ACCESSORIES



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-51500801/67	400V/3Ph/50-60Hz	RR04 Rim Repair System (rim Ø 10" - 24")	
0-51500802/67	230V/1Ph/50-60Hz	RR04 Rim Repair System (rim Ø 10" - 24")	
8-51100072		Customization kit for RR04, compulsory	
0-51500901/67	400V/3Ph/50-60Hz	RR06 Rim Repair System (rim Ø 10" - 26")	
0-51500902/67	230V/1Ph/50-60Hz	RR06 Rim Repair System (rim Ø 10" - 26")	
8-51100073		Customization kit for RR06, compulsory	

OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
NEW 	Bushing kit $\varnothing 56,1 \div 69,9$ H10	8-51100061	
	Bushing kit $\varnothing 70,2 \div 76$ H10	8-51100062	
	Bushing kit $\varnothing 73,1 \div 120,9$ H10	8-51100078	
NEW 	Infrared rim heater 400V	8-51100064/00	
	Infrared rim heater 230V	8-51100065/00	
NEW 	Kit polish & clean (RR04)	8-51100066/00	
	Kit polish & clean (RR06)	8-51100067/00	

NITROGEN GENERATOR

N SERIES



N 300




N 500



N 1800

CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-55401200/16		N 300 Nitrogen generator with capacity 3,0 Nm 3/h (3000 lit/h).	
0-55401300/16		N 500 Nitrogen generator with capacity 5,0 Nm 3/h (5000 lit/h).	
0-55401600/16		N 1800 Nitrogen generator with capacity 18,0 Nm 3/h (18.000 lit/h).	

OPTIONAL ACCESSORIES FOR SERIE N

IMAGE	DESCRIPTION	CODE	
	WS Cyclonic condensate separator.	8-53600000	
	AT Pipes take-up.	8-55600001	
	PSG Professional inflating and deflating pistol.	8-55600002	
	EC Inflating and deflating pistol, pressure gauge BAR G 1/4"	8-11100362	

OPTIONAL ACCESSORIES FOR SERIE N

IMAGE	DESCRIPTION	CODE	
	EC Inflating and deflating pistol, pressure gauge BAR and PSI G 1/4"	8-51120007	
	NT Kit for measuring purity.	8-11600127	
	Kit filter cartridges 3-5 Nm3/h.	8-55600023	
	Kit filter cartridges 20 Nm3/h.	8-55600024	
	Air contamination indicator.	8-55600025	

WHEEL WASHER

LS 850

STANDARD ACCESSORIES




CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-55400800/34	400V / 3Ph / 50Hz	LS 850 B with steel tank, without heater.	
0-55400700/34	400V / 3Ph / 50Hz	LS 850 P with steel tank and heater.	
0-55401500/34	400V / 3Ph / 50Hz	LS 850 T with stainless steel tank and heater.	

OPTIONAL ACCESSORIES FOR LS 850

IMAGE	DESCRIPTION	CODE	
 x2	RTP kit, replacing kit for drive roller.	8-55600026	
 x2	RSA kit, replacing kit for support roller.	8-55600027	
	SLR Wheel Lifter.	8-51120005	

OPTIONAL ACCESSORIES FOR LS 850

IMAGE	DESCRIPTION	CODE	
	Set of granules for filling and replacement (15 kg.).	8-51100063	
	Non-foaming liquid detergent , 10 lt.	8-55600010	
	VSS Ball faucet for water drainage.	8-55600019	
	RCS Elbow fitting for water drainage.	8-55600018	



SVP1



SVP2



SVP3

CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-51400310/40	230V/1Ph/50-60Hz	SVP1 with manual lever operated plate clamping	
0-51400320/40	230V/1Ph/50-60Hz	SVP2 With air-operated closingmechanism, to repair inner tubes and lightweight tyres	
0-51400330/40	230V/1Ph/50-60Hz	SVP3 Strongly built and easy to use, ideal to repair inner tubes and light weight tyres 600W heating plate.	



SVP4



SVP5



SVP5/L

CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-51400340/40	230V/1Ph/50-60Hz	SVP4 Vulcanizer with double heating plate airoperated system to close the plates monitored by a pressure governor	
0-51400350/40	230V/1Ph/50-60Hz	SVP5 Vulcanizer with mechanically closed double heating plate.	
0-51400355/40	230V/1Ph/50-60Hz	SVP5/L Vulcanizer with mechanically closed double heating plate. Portable and easy to handle. Complete with 120 minutes timer. Two wide 600 W heating plates.	

OPTIONAL ACCESSORIES FOR VULCANIZERS


IMAGE	DESCRIPTION	CODE	
	Support stand	805420833	

TYRE TEST TANKS

AL18



AL24



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-51400200/40		AL18 Air-operated with 6/8 bar operating pressure, complete with wheel holder lifting and lowering control. Maximum wheel diameter 800 mm. Maximum wheel width 320 mm.	
0-51410200/40		AL24 Complete with air filter, air-operated with 8 bar operating pressure. Maximum wheel diameter 1300 mm. Maximum wheel width 500 mm.	

AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION

A/C 1100 SERIES

AIR CONDITIONING SYSTEM DIAGNOSIS
AND RECHARGE STATIONS



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-66501001/64	230V/1Ph/50-60Hz	A/C 1100 Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66501401/64	230V/1Ph/50-60Hz	A/C 1100P Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1105 SERIES

AIR CONDITIONING SYSTEM DIAGNOSIS
AND RECHARGE STATIONS



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-66501101/64	230V/1Ph/50-60Hz	A/C 1105 Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66501501/64	230V/1Ph/50-60Hz	A/C 1105P Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1600 SERIES

AIR CONDITIONING SYSTEM DIAGNOSIS
AND RECHARGE STATIONS



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-66501201/64	230V/1Ph/50-60Hz	A/C 1600 Fully automatic Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection	
0-66501601/64	230V/1Ph/50-60Hz	A/C 1600P Fully automatic Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection, printer included	

A/C 1605 SERIES

AIR CONDITIONING SYSTEM DIAGNOSIS
AND RECHARGE STATIONS



CODE	ELECTRIC SUPPLY	DESCRIPTION	
0-66501301/64	230V/1Ph/50-60Hz	A/C 1605 Fully automatic Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection	
0-66501701/64	230V/1Ph/50-60Hz	A/C 1605P Fully automatic Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection, printer included	

OPTIONAL ACCESSORIES FOR AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION

IMAGE	DESCRIPTION	CODE	
	High/low pressure pipes kit, L=4,5 mt for, R1234yf refrigerant	8-66500010	
	High/low pressure pipes kit, L=4,5 mt, for R134a refrigerant	8-66500011	
	Leak detector with Nitrogen	8-66500209	
	Leak detector kit including UV lamp and glasses only.	6019000305	



SICE IS A BRAND OF NEXION GROUP

VIA STRADA STATALE 468, N° 9 42015 CORREGGIO (RE)
VIA MODENA, 34 42015 CORREGGIO (RE)
T. +39 0522 693640
SICE@SICE.IT



www.sice.it